

TYPICAL APPLICATION WITH MS21919 CUSHIONED LINE SUPPORT CLAMP MOUNTED TO SUBSTRATE WITH ADHESIVE BONDED STUD, MS21043 NUT, AND AN960 WASHER.

STANDOFF DISTANCE D (SEE TABLE FOR DASH NO.)

DIMENSION DATA


CODE	D
3	.188
4	.250
5	.313

SUPPORT MATERIAL

CODE	MATERIAL
P	GLASS/PEEK
V	GLASS/POLYETHERIMIDE
VC	CARBON/POLYETHERIMIDE

EXAMPLE PART NUMBER

CB9188 V 3-4



STANDOFF DISTANCE D - .250  
 HOLE SIZE - .204 DIA FOR .1900-32 STUD  
 MATERIAL - GLASS/POLYETHERIMIDE  
 BASIC PART NUMBER

UNLESS OTHERWISE SPECIFIED, ALL DIMENSIONS ARE IN INCHES AND TOLERANCES ARE AS SHOWN BELOW. DIMENSIONAL TOLERANCES AND SYMBOLS PER ANSI Y14.5M-1982.

PROPRIETARY PARTS SHOWN IN THIS DRAWING ARE THE SUBJECT OF ISSUED UNITED STATES AND FOREIGN PATENTS AND PATENTS PENDING. UNAUTHORIZED REPRODUCTION AND/OR DISTRIBUTION OF THIS DRAWING IS SPECIFICALLY PROHIBITED.

**GLICK BOND**

CARSON CITY  
 NEVADA 89706

ANGLES	±1°
.XX	±.03
.XXX	±.010
.XXXX	±.001

APPROVALS	DATE
DRAWN <b>BPerez</b>	3AUG04
CHECKED <b>DOC</b>	3AUG04
RELEASED <b>CGH</b>	3AUG04
REVISED <b>BPerez</b>	3AUG04

TITLE SUPPORT, LINE CLAMP, VARIABLE STANDOFF DISTANCE			
SIZE A	CAGE CODE 66530	DWG. NO. CB9188	REV. 3
SCALE 2/1	3AUG04	SHEET 1 OF 1	